REQUEST FOR CONTINUED EXAMINATION (RCE) TRANSMITTAL

MAIL STOP RCE

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

	Application Number		10/553,986	
	Confirmation Number		1007	
	Filing Date		October 20, 2005	
	First Named Inventor		Masanao SUGA	
	Group Art Unit		2629	
	Examiner Name		My Chau T. Tran	
	Matter Number		O90792	
			ALUE DISPLAY SYSTEM	
	THE INDIMERAL VALUE DISTERT STSTEM			

Subsection (b) of 35 U.S.C. § 132, effective on May 29, 2000,	Matter Number Q90792					
provides for continued examination of an utility or plant application filed on or after June 8, 1995	Title	NUMERAL VALUE DISPLAY SYSTEM				
This is a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application.						
1. SUBMISSION REQUIRED UNDER 37 C.F.R. § 1.114						
a, Previously submitted						
i. Please enter and consider the amendment(s)/reply under 37 C.F.R. § 1.116						
previously filed on September 29, 2009 ii. □ Consider the arguments in the Appeal Brief or Reply Brief previously filed on						
iii. □ Other						
b. ☑ Enclosed						
i. Amendment/Reply						
ii. Affidavit(s)/Declaration(s)						
iii.□ Information Disclosure Statements (IDS)						
iv. ☑ Petition for Extension of Time						
v. 🗹 Other Statement of Substance of Interview						
MISCELLANEOUS a. Suspension of action on the above-identified application period of months b. Other		equested under 3	7 C.F.R. § 1.103(c) for a			
3. FEES The USPTO is directed and authorized to charge the RCE statutory fee of \$810.00 and all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account.						
CORRESPONDEN	CE ADE	RESS				
Direct all correspondence to the address for SUGHRUE MIO.	N, PLLC	filed under the C	ustomer Number listed below:			
WASHINGTON DC SUGHRUE/265550						
65565						
CUSTOMER NUMBER SIGNATURE OF ATTORNEY						
Name Chid S. Iyer Ro	egistratio	n No. 43,355				
Signature /Chidambaram.S.Iyer/ Da	nte October 29, 2009					